

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
1	BRS	1295	detect\$3 with object with light with pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 10:54		
2	BRS	4	detect\$3 with object with light with pulse\$1 and light with source with emit\$4 with reflect\$3 with (calibrat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:03		
3	BRS	2	"20030036881"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:03		
4	BRS	65	detect\$3 with object with light with pulse\$1 and light with source with emit\$4 with reflect\$3 and (calibrat\$3 or adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:04		
5	BRS	18	detect\$3 with object with light with pulse\$1 and light with source with emit\$4 with reflect\$3 and (calibrat\$3 or adjust\$3) with distance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:40		
6	IS&R	2	("5669174").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:31		

	Typ	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
7	IS&R	2	("5949530").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:32		
8	IS&R	2	("5379687").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:33		
9	IS&R	2	("6422713").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:33		
10	BRS	0	(detect\$3 adj object) with light with pulse\$1 and light with source with emit\$4 with reflect\$3 and (calibrat\$3 or adjust\$3) with distance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 11:36		
11	BRS	3	detect\$3 with object with light with pulse\$1 and light with source with emit\$4 with reflect\$3 and (calibrat\$3 or adjust\$3) with distance and compar\$4 with (predetermined or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 12:17		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
			detect\$3 with object with light with pulse\$1 and light with source with emit\$4 with reflect\$3 and (calibrat\$3 or adjust\$3) with distance and compar\$4 with (predetermined or reference or threshold)	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 12:18 IBM_TDB			
12	BRS	8					
13	BRS	1548	(detect\$3 adj object\$1) with vehicle\$1	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 14:43 IBM_TDB			
14	BRS	106	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4)	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 12:48 IBM_TDB			
15	BRS	67	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3)	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 12:48 IBM_TDB			
16	BRS	26	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4)	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 12:49 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
			(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4) and light with intensity				
17	BRS	14		USPAT; US-PGPUB; EPO; 2003/12/31 JPO; DERWENT; 11:56 IBM_TDB			
18	BRS	3297	340/901-904, 933, 934, 942, 55 5.ccls.	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 13:42 IBM_TDB			
19	BRS	95	detect\$3 with object with light with pulse\$1 and light with source with emit\$4 with reflect\$3	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 14:05 IBM_TDB			
20	BRS	1877	356/3.01, 3.04, 4.01, 4.02, 5. 01, 5.03, 5.05, 5.08.ccls.	USPAT; US-PGPUB; EPO; 2003/12/31 JPO; DERWENT; 12:21 IBM_TDB			
21	BRS	2085	180/167, 168, 169.ccls.	USPAT; US-PGPUB; EPO; 2003/12/30 JPO; DERWENT; 14:08 IBM_TDB			

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
22	BRS	1364	396/104,106,120,123,125.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:09		
23	BRS	487	702/158,159.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:13		
24	BRS	4	polymeric adj light adj reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:55		
25	BRS	6	polymeric adj light adj reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:06		
26	BRS	929	polymeric with light with reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:43		
27	BRS	1	(detect\$3 adj object\$1) with vehicle\$1 and polymeric with light with reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
28	BRS	3	detect\$3 with object\$1 with vehicle\$1 and polymeric with light with reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:46		
29	BRS	22	detect\$3 with object\$1 and polymeric with light with reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:03		
30	BRS	22	polymeric adj reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:55		
31	IS&R	2	("5353154"). PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 14:59		
32	BRS	0	detect\$3 with object\$1 and polymeric with expand\$3 with light with reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:03		
33	BRS	1	detect\$3 with object\$1 and polymeric with expand\$3 with light with reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:04		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
34	BRS	6	detect\$3 with object\$1 and polymeric with reflect\$3 and expand\$3 with light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:04		
35	BRS	88	polymeric adj reflect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:06		
36	BRS	22	polymeric adj reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:14		
37	BRS	6320	(polymeric or parabolic) adj reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:15		
38	BRS	4	(detect\$3 adj object\$1) with vehicle\$1 and (parabolic or polymeric) with reflector\$1 with light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:25		
39	BRS	43	4926170.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 15:44		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
40	IS&R	2	("6422713").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:02		
41	BRS	16	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4) and sensitivity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 10:51		
42	BRS	1	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) with sensitivity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:07		
43	BRS	5	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) with sensitivity\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:09		
44	BRS	28	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and (adjust\$3 or calibrat\$3) with sensitivity\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:11		



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
45	BRS	8	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and compar\$4 with sensitiv\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:12		
46	BRS	13	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and (differen\$2 or compar\$4) with sensitiv\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 13:50		
47	BRS	1926	356/3.01,3.04,4.01,4.02,5. 01,5.03,5.05,5.06,5.08.cc1 s.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:21		
48	BRS	0	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and (multiply\$3 or multiplied) with sensitiv\$3 with(threshold\$1 or predetermined or preset\$4 or reference\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 14:19		
49	BRS	0	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and (multiply\$3 or multiplied) with level\$1 with(threshold\$1 or predetermined or preset\$4 or reference\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 14:20		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
50	BRS	1	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and (multiply\$3 or multiplied) with level\$1 and (threshold\$1 or predetermined or preset\$4 or reference\$1)	USPAT; US-PGPUB; EPO; 2003/12/31 JPO; DERWENT; 14:20 IBM_TDB			
51	BRS	78	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 and level\$1 with (threshold\$1 or predetermined or preset\$4 or reference\$1)	USPAT; US-PGPUB; EPO; 2003/12/31 JPO; DERWENT; 14:20 IBM_TDB			
52	BRS	2	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4) and sensitivity with increas\$3 with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 10:55 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
53	BRS	2	(detect\$3 adj object\$1) with vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4) and sensitivity with increas\$3 and sensitivity with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 10:58 IBM_TDB			
54	BRS	16	vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4) and sensitivity with increas\$3 and sensitivity with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 17:04 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
55	BRS 1		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and compar\$4 with (reference\$1 or threshold\$1 or predetermined or preset\$4) and (adjust\$3 ir calibrat\$3 ) with sensitivity with increas\$3 with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; IBM_TDB	11:10		
56	BRS 1		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and (adjust\$3 ir calibrat\$3 ) with sensitiv\$3 with increas\$3 with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; IBM_TDB	11:11		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
57	BRS 1		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and (adjust\$3 or calibrat\$3 ) with sensitiv\$3 with increas\$3 with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 11:11 IBM_TDB			
58	BRS 2		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and (adjust\$3 or calibrat\$3 or chang\$3 or modif\$3 or modif\$3) with sensitiv\$3 with increas\$3 with decreas\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 12:14 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
59	BRS	34	vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and increas\$3 with sensitiv\$3 and decreas\$3 with sensitiv\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 17:03 IBM_TDB			
60	BRS	29	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and increas\$3 with sensitiv\$3 and decreas\$3 with sensitiv\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:02 IBM_TDB			
61	BRS	5	"59142488" or 59-142488	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 13:02 IBM_TDB			

	Typ	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
62	BRS	4	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and transmit\$4 with polymeric with reflect\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:03 IBM_TDB			
63	BRS	5	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and transmit\$4 with polymeric	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:32 IBM_TDB			
64	BRS	12	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and "near" with infrared with diode with laser	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:43 IBM_TDB			
65	BRS	2	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and "near" with infrared with diode with laser and polymeric	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:33 IBM_TDB			
66	BRS	26	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and "near" with infrared with light with detect\$3	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:44 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
67	BRS	3	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and "near" with infrared with light with detect\$3 with laser	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:49 IBM_TDB			
68	BRS	18	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and "near" with infrared with light with laser	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 16:49 IBM_TDB			
69	BRS	0	vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and increas\$3 with sensitiv\$3 and decreas\$3 with sensitiv\$3 with memory	USPAT; US-PGPUB; EPO; 2004/01/02 JPO; DERWENT; 17:03 IBM_TDB			



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
70	BRS 0		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (differen\$2 or compar\$4) with (reference\$1 or threshold\$1 or predetermined or preset\$4) and increas\$3 with sensitiv\$3 and decreas\$3 with sensitiv\$3 with (ROM or RAM or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 17:03		
71	BRS 0		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) with sensitiv\$3 with increas\$3 with decreas\$3 and computer with (storage or memory or ram or rom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 17:05		
72	BRS 1		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) with sensitiv\$3 with increas\$3 with decreas\$3 and (storage or memory or ram or rom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 10:46		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
73 BRS 0		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) with sensitiv\$3 with increas\$3 with decreas\$3 with (time or period or distance) and (storage or memory or ram or rom)	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:50 IBM_TDB			
74 BRS 0		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) with sensitiv\$3 with increas\$3 with decreas\$3 with (time or period or distance) and computer	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:47 IBM_TDB			
75 BRS 0		vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) with sensitiv\$3 with increas\$3 with decreas\$3 with (time or period or distance)	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:48 IBM_TDB			
76 BRS 0		vehicle\$1 and emitter with receiver and (adjust\$3 or calibrat\$3) with sensitiv\$3 with increas\$3 with decreas\$3 with (time or period or distance)	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:48 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
77	BRS	1	vehicle\$1 and emitter with receiver and (adjust\$3 or calibrat\$3) and sensitiv\$3 with increas\$3 with decreas\$3 with (time or period or distance)	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:48 IBM_TDB			
78	BRS	5	vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) and sensitiv\$3 with increas\$3 with decreas\$3 with (time or period or distance) and (storage or memory or ram or rom)	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:52 IBM_TDB			
79	BRS	13	detect\$3 with (object\$1 or obstacle\$1) and vehicle\$1 and light with reflect\$3 with (emission or emit\$4) and (adjust\$3 or calibrat\$3) with sensitiv\$3 with (time or period or distance) and (storage or memory or ram or rom)	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 10:53 IBM_TDB			
80	BRS	1	"20030230705"	USPAT; US-PGPUB; EPO; 2004/01/03 JPO; DERWENT; 11:40 IBM_TDB			

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definiti on
81	IS&R	2	("6157024").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 12:04		
82	IS&R	2	("5923427").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 12:05		
83	IS&R	2	("5504570").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 12:26		
84	IS&R	2	("5034683").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 12:27		
85	IS&R	2	("4864220").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 12:28		
86	IS&R	2	("4552456").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 13:00		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
87	IS&R	2	("20030093234").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 13:00		
88	BRS	2	"20030093234"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 13:00		